

Dallas Family Psychiatry LLC

Child, Adolescent, Adult, and Geriatrics Psychiatry 3701 W Northwest Hwy, Building 1, Suite 189 Dallas, TX 75220 Tel: 214-817-4616 | Fax: 800-883-1537

EVERY FIELD MUST BE COME	PLETED	
Patient Information:		
First Name:	MI: La	ast Name:
Address:		
Date of Birth:	S	SN:
Phone:	C	Cell:
Email:		
	mails are for appointment re	
INSURANCE INFORMATION: F	PLEASE PROVIDE A COPY OF	INSURANCE CARDS AT TIME OF SERVICE
Policy Holder:	SS#:	Date of Birth:
Insurance Company:	ID: _	
Group Number:	Phone: __	
Secondary Carrier:	ID:	
In case of an emergency call:		
Name:	Relation:	
Phone:		
Patient's mother's name: ***This is		
Maiden Last Name:		
PLEASE READ AND SIGN:		
	. It is your responsibility to obta	all fees. All costs not covered by your insurance ain referral/ authorizations from your insurance
I hereby authorize Mental Fitness P illness and treatment for myself and		ation to my insurance carriers concerning my

6-ITEM Kutcher Adolescent Depression Scale: KADS-6

NAM	E:	CHART NUMBER:				
		ASSESSMENT COMPLETED BY:				
		HOW HAVE YOU BEEN "ON AVERAGE" OR "USUALLY" REGARDING THE FOLLOWING				
1.	Low mood, sadness	s, feeling blah or down, depre	essed, just can't be both	ered.		
	U 0 - Hardly Ever	1 - Much of The Time	2 - Most of The Time	3 - All of The Time		
2.	Feelings of worthles	ssness, hopelessness, letting	g people down, not bein	g a good person.		
	0 - Hardly Ever	1 - Much of The Time	2 - Most of The Time	3 - All of The Time		
3.	Feeling tired, feeling want to rest or lie do		rd to get motivated, have	e to push to get things done,		
	0 - Hardly Ever	1 - Much of The Time	2 - Most of The Time	3 - All of The Time		
4.		ot very much fun, not feeling much pleasure from fun thi		· · · · · ·		
	0 - Hardly Ever	1 - Much of The Time	2 - Most of The Time	3 - All of The Time		
5.	Feeling worried, ner	vous, panicky, tense, keyed	up, anxious.			
	U 0 - Hardly Ever	1 - Much of The Time	2 - Most of The Time	3 - All of The Time		
6.	Thoughts, plans or a	actions about suicide or self	-harm.			
	U 0 - Hardly Ever	1 - Much of The Time	2 - Most of The Time	3 - All of The Time		
Т	OTAL SCORE:		1	© Dr Stan Kutcher, 2006		

ADHD RATING SCALE-IV

Child's Name:	Sex: M F	Age:	Grade:	Date:
Circle the number that <i>hest describes</i> your natient's be	havior over 1	he past 6 months.		

The ADHD Rating Scale (ADHD-RS) is an instrument used for diagnosing ADHD in children. This 18-item rating scale is based on the DSM-IV-TR® diagnostic criteria for ADHD. Significant impairment in 6 of the 9 odd-numbered items and significant impairment in 6 of the 9 even-numbered items signifies possible Inattentive and Hyperactive/Impulsive subtypes.

		Never or rarely	Sometimes	Often	Very often	
1.	Fails to give close attention to details or makes careless mistakes in schoolwork.	0	- 1	2	3	
2.	Fidgets with hands or feet or squirms in seat.	0	1	2	3	
3.	Has difficulty sustaining attention in tasks or play activities.	0	1	2	3	
4.	Leaves seat in classroom or in other situations in which remaining seated is expected.	0	Ï	2	3	
5.	Does not seem to listen when spoken to directly.	0	1	2	3	
6.	Runs about or climbs excessively in situations in which it is inappropriate.	0	1	2	3	
7.	Does not follow through on instructions and fails to finish work.	0	1	2	3	
8.	Has difficulty playing or engaging in leisure activities quietly.	0	1	2	3	
9.	Has difficulty organizing tasks and activities.	0	1	2	3	
10.	Is "on the go" or acts as if "driven by a motor."	0	1	2	3	
11.	Avoids tasks (e.g., schoolwork, homework) that require sustained mental effort.	0	1	2	3	
12.	Talks excessively.	0	1	2	3	
13.	Loses things necessary for tasks or activities.	0	1	2	3	
14.	Blurts out answers before questions have been completed.	0	1	2	3	
15.	Is easily distracted.	0	1	2	3	
16.	Has difficulty awaiting turn.	0	1	2	3	
17.	Is forgetful in daily activities.	0	1	2	3	
18.	Interrupts or intrudes on others.	0	1	2	3	

From ADHD Rating Scale-IV: Checklists, Norms, and Clinical Interpretation by George J. DuPaul, Thomas J. Power, Arthur D. Anastopoulos, and Robert Reid. Copyright 1998 by the authors. Permission to photocopy this scale is granted to purchasers of ADHD Rating Scale-IV for personal use only. ADHD criteria are adapted by permission from DSM-IV-TR*. Copyright 1994 by the American Psychiatric Association.

Screen for Child Anxiety Related Disorders (SCARED)

CHILD Version—Page 1 of 2 (to be filled out by the CHILD)

Developed by Boris Birmaher, M.D., Suneeta Khetarpal, M.D., Marlane Cully, M.Ed., David Brent, M.D., and Sandra McKenzie, Ph.D., Western Psychiatric Institute and Clinic, University of Pittsburgh (October, 1995). E-mail: birmaherb@upmc.edu

See: Birmaher, B., Brent, D. A., Chiappetta, L., Bridge, J., Monga, S., & Baugher, M. (1999). Psychometric properties of the Screen for Child Anxiety Related Emotional Disorders (SCARED): a replication study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 38(10), 1230–6.

Name:	Date:

Directions:

Below is a list of sentences that describe how people feel. Read each phrase and decide if it is "Not True or Hardly Ever True" or "Somewhat True or Sometimes True" or "Very True or Often True" for you. Then, for each sentence, fill in one circle that corresponds to the response that seems to describe you *for the last 3 months*.

	0 Not True or Hardly Ever True	1 Somewhat True or Sometimes True	2 Very True or Often True	
1. When I feel frightened, it is hard to breathe	0	0	0	PN
2. I get headaches when I am at school.	0	0	0	SH
3. I don't like to be with people I don't know well.	0	0	0	sc
4. I get scared if I sleep away from home.	0	0	0	SP
5. I worry about other people liking me.	0	0	0	GD
6. When I get frightened, I feel like passing out.	0	0	0	PN
7. I am nervous.	0	0	0	GD
8. I follow my mother or father wherever they go.	0	0	0	SP
9. People tell me that I look nervous.	0	0	0	PN
10. I feel nervous with people I don't know well.	0	0	0	sc
11. I get stomachaches at school.	0	0	0	SH
12. When I get frightened, I feel like I am going crazy.	0	0	0	PN
13. I worry about sleeping alone.	0	0	0	SP
14. I worry about being as good as other kids.	0	0	0	GD
15. When I get frightened, I feel like things are not real.	0	0	0	PN
16. I have nightmares about something bad happening to my parents.	0	0	0	SP
17. I worry about going to school.	0	0	0	SH
18. When I get frightened, my heart beats fast.	0	0	0	PN
19. I get shaky.	0	0	0	PN
20. I have nightmares about something bad happening to me.	0	0	0	SP

Screen for Child Anxiety Related Disorders (SCARED)

CHILD Version—Page 2 of 2 (to be filled out by the CHILD)

	0 Not True or Hardly Ever True	Somewhat True or Sometimes True	Very True or Often True	
21. I worry about things working out for me.	0	0	0	GD
22. When I get frightened, I sweat a lot.	0	0	0	PN
23. I am a worrier.	0	0	0	GD
24. I get really frightened for no reason at all.	0	0	0	PN
25. I am afraid to be alone in the house.	0	0	0	SP
26. It is hard for me to talk with people I don't know well.	0	0	0	sc
27. When I get frightened, I feel like I am choking.	0	0	0	PN
28. People tell me that I worry too much.	0	0	0	GD
29. I don't like to be away from my family.	0	0	0	SP
30. I am afraid of having anxiety (or panic) attacks.	0	0	0	PN
31. I worry that something bad might happen to my parents.	0	0	0	SP
32. I feel shy with people I don't know well.	0	0	0	sc
33. I worry about what is going to happen in the future.	0	0	0	GD
34. When I get frightened, I feel like throwing up.	0	0	0	PN
35. I worry about how well I do things.	0	0	0	GD
36. I am scared to go to school.	0	0	0	SH
37. I worry about things that have already happened.	0	0	0	GD
38. When I get frightened, I feel dizzy.	0	0	0	PN
39. I feel nervous when I am with other children or adults and I have to do something while they watch me (for example: read aloud, speak, play a game, play a sport).	0	0	0	sc
40. I feel nervous when I am going to parties, dances, or any place where there will be people that I don't know well.	0	0	0	sc
41. I am shy.	0	0	0	sc

SCORING:
A total score of \geq 25 may indicate the presence of an Anxiety Disorder . Scores higher than 30 are more specific. TOTAL =
A score of 7 for items 1, 6, 9, 12, 15, 18, 19, 22, 24, 27, 30, 34, 38 may indicate Panic Disorder or Significant Somatic
Symptoms. PN =
A score of 9 for items 5, 7, 14, 21, 23, 28, 33, 35, 37 may indicate Generalized Anxiety Disorder. GD =
A score of 5 for items 4, 8, 13, 16, 20, 25, 29, 31 may indicate Separation Anxiety SOC. SP =
A score of 8 for items 3, 10, 26, 32, 39, 40, 41 may indicate Social Anxiety Disorder. SC =
A score of 3 for items 2, 11, 17, 36 may indicate Significant School Avoidance . SH =

For children ages 8 to 11, it is recommended that the clinician explain all questions, or have the child answer the questionnaire sitting with an adult in case they have any questions.

The SCARED is available at no cost at www.wpic.pitt.edu/research under tools and assessments, or at www.pediatric bipolar.pitt.edu under instruments.

Young Mania Rating Scale (YMRS)

GUIDE FOR SCORING ITEMS:

The purpose of each item is to rate the severity of that abnormality in the patient. When several keys are given for a particular grade of severity, the presence of only one is required to qualify for that rating.

The keys provided are guides. One can ignore the keys if that is necessary to indicate severity, although this should be the exception rather than the rule.

Scoring between the points given (whole or half points) is possible and encouraged after experience with the scale is acquired. This is particularly useful when severity of a particular item in a patient does not follow the progression indicated by the keys.

1. Elevated Mood

- 0 Absent
- 1 Mildly or possibly increased on questioning
- 2 Definite subjective elevation; optimistic, self-confident; cheerful; appropriate to content
- 3 Elevated; inappropriate to content; humorous
- 4 Euphoric; inappropriate laughter; singing

2. Increased Motor Activity-Energy

- 0 Absent
- 1 Subjectively increased
- 2 Animated; gestures increased
- 3 Excessive energy; hyperactive at times; restless (can be calmed)
- 4 Motor excitement; continuous hyperactivity (cannot be calmed)

3. Sexual Interest

- 0 Normal: not increased
- 1 Mildly or possibly increased
- 2 Definite subjective increase on questioning
- 3 Spontaneous sexual content; elaborates on sexual matters; hypersexual by self-report
- 4 Overt sexual acts (toward patients, staff, or interviewer)

4. Sleep

- O Reports no decrease in sleep
- 1 Sleeping less than normal amount by up to one hour
- 2 Sleeping less than normal by more than one hour
- 3 Reports decreased need for sleep
- 4 Denies need for sleep

5. Irritability

- 0 Absent
- 2 Subjectively increased
- 4 Irritable at times during interview; recent episodes of anger or annoyance on ward
- 6 Frequently irritable during interview; short, curt throughout
- 8 Hostile, uncooperative; interview impossible





Young Mania Rating Scale (YMRS)

6. Speech (Rate and Amount)

- 0 No increase
- 2 Feels talkative
- 4 Increased rate or amount at times, verbose at times
- 6 Push; consistently increased rate and amount; difficult to interrupt
- 8 Pressured; uninterruptible, continuous speech

7. Language-Thought Disorder

- 0 Absent
- 1 Circumstantial; mild distractibility; quick thoughts
- 2 Distractible, loses goal of thought; changes topics frequently; racing thoughts
- 3 Flight of ideas; tangentiality; difficult to follow; rhyming, echolalia
- 4 Incoherent; communication impossible

8. Content

- 0 Normal
- 2 Questionable plans, new interests
- 4 Special project(s); hyper-religious
- 6 Grandiose or paranoid ideas; ideas of reference
- 8 Delusions; hallucinations

9. Disruptive-Aggressive Behavior

- O Absent, cooperative
- 2 Sarcastic; loud at times, guarded
- 4 Demanding; threats on ward
- 6 Threatens interviewer; shouting; interview difficult
- 8 Assaultive; destructive; interview impossible

10. Appearance

- O Appropriate dress and grooming
- 1 Minimally unkempt
- 2 Poorly groomed; moderately disheveled; overdressed
- 3 Disheveled; partly clothed; garish make-up
- 4 Completely unkempt; decorated; bizarre garb

11. Insight

- O Present; admits illness; agrees with need for treatment
- 1 Possibly ill
- 2 Admits behavior change, but denies illness
- 3 Admits possible change in behavior, but denies illness
- 4 Denies any behavior change

Reprinted with permission from The Royal College of Psychiatrists.



